

Power API and Redfish: Standardizing Power Measurement and Control for HPC

Torsten Wilde (HPE), Ryan Grant (Sandia NL), Jeff Autor (HPE), Todd Rosedahl (IBM), Steve Martin (Cray), Barry Rountree (LLNL)

BoF: Power API and Redfish: Standardizing Power Measurement & Control for HPC - SC18

SC18 Dallas, Texas

https://eehpcwg.llnl.gov/

Agenda


- Short overview of Redfish and PowerAPI
- Guided discussion

How do Redfish and PowerAPI fit together

- Redfish Vendor agnostic software defined management interface to access cluster hardware information (monitoring, control) in a standardized way (IPMI-over-LAN replacement)
- Defines interfaces and data representations (REST-full interface: get , post, delete, and patch)
- Designed for 1s or slower data access (outof-band management network)
- Definition community driven
- Underlying implementation vendor specific

- PowerAPI Vendor agnostic API to access cluster power information (monitoring, control) in a standardized way (facility concerns down to low level software/hardware interfaces, e.g. get application power consumption from scheduler)
- Defines function calls and data representations related to system wide power and energy management
- Designed for high speed access in ms (in-band and out-of-band)
- Definition community driven
- Underlying implementation vendor specific
- Power API implementation could use Redfish to access hardware power measurements

Redfish



What is Redfish?

- Industry Standard Software Defined Management for Converged, Hybrid IT
 - HTTPS in JSON format based on OData v4
 - Schema-backed but human-readable
 - Equally usable by Apps, GUIs and Scripts
 - Extensible, Secure, Interoperable
- Version 1 focused on Servers
 - A secure, multi-node capable replacement for IPMI-over-LAN
 - Represent full server category: Rackmount, Blades, HPC, Racks, Future
 - Intended to meet OCP Remote Machine Management requirement
- Expand scope over time to rest of IT infrastructure
 - Additional features coming out approximately every 4 months
 - Working with SNIA to cover more advanced Storage (Swordfish)
 - Working with The Green Grid & ASHRAE to cover Facilities (Power/Cooling)
 - Work with the IETF to cover some level of Ethernet Switching

Redfish 2018 Release 2

- Redfish Specification v1.6.0
 - NEW OpenAPI v3.0 Support
 - NEW Telemetry Streaming & Eventing
 - Improved Event Subscription methods
- Redfish Specification v1.5.1
 - Errata release with numerous clarifications
- Redfish Schema Bundle 2018.2
 - DSP8010 2018.2.ZIP contains all Redfish schemas
- Redfish Registries 2018.1
 - NEW 'Task', 'Resource' registries
 - Updated 'Base', 'Privilege' registries
- 13 NEW Schemas v1.0.0
 - TelemetryService, MetricDefinition, MetricReportDefinition, MetricReport, Triggers
 - JobService, Job, PCIeSlots, (plus 5 Resource Collections)
- 29 Updated Schemas (highlights)
 - Schedule v1.2.0 Contribution from SNIA.org with minor additions
 - EventDestination v1.4.0, Event v1.3.0, MessageRegistry v1.2.0 Improved subscriptions
 - Resource v1.7.0 Added 'ContactInfo' array to commonly-used Location object

Redfish for OpenAPI™ Specification v3.0

- OpenAPI Specification
 - A community-driven open specification from the OpenAPI Initiative (OAI), The Linux Foundation Collaborative Project
 - Describes API services in a YAML-format definition document
 - Rich ecosystem of tools for developers and end users
- Supported by Redfish Specification v1.6.0
 - Added support for OpenAPI schema files (YAML)
 - Requires use of standardized URIs
 - Fixed URIs for all Redfish resources
 - Construct path to Collection member using "Id"
- Redfish Schema (DSP8010) bundle 2018.2
 - Now includes OpenAPI YAML files
 - Along with JSON Schema and CSDL files

DCIM Work in Progress v0.8 release

- Download DSP-IS0005.zip from www.dmtf.org/standards/redfish
- Focused on architectural direction and common features of the model
 - General-purpose Sensor model
 - Ability to reflect "sensor readings" elsewhere in the model
 - Handling of alarm conditions where no additional data is available
- Rendered these into one example with schema and mockup
 - Rack-based Power Distribution Unit (RackPDU)
 - Schemas and mockups
- Other DCIM equipment schemas were not updated
 - Desire for feedback on the architectural features as shown in RackPDU
 - All schemas will be refactored in the next release to match the direction

PowerAPI



What is the Power API?


- The Power API is a comprehensive system software API for interfacing with power measurement and control hardware
- Designed to be comprehensive across many different levels of a data center
- Many different actors can interface with a single API to perform several different roles
- Encompasses facility level concerns down to low level software/hardware interfaces

System Description

Presents a navigable view of the system's hardware components

- Can extend to custom object types
- Can be heterogeneous

```
typedef enum {
       PWR OBJ PLATFORM = O.
       PWR_OBJ_CABINET,
       PWR_OBJ_CHASSIS,
       PWR_OBJ_BOARD,
       PWR OBJ NODE,
       PWR_OBJ_SOCKET,
       PWR_OBJ_CORE,
       PWR_OBJ_POWER_PLANE,
       PWR OBJ MEM,
       PWR_OBJ_NIC,
       PWR_NUM_OBJ_TYPES,
       /* */
       PWR OBJ INVALID = -1,
       PWR_OBJ_NOT_SPECIFIED = -2,
 PWR_ObjType;
```




Example System Description

Common Functionality

- Navigation across and grouping of objects in the system
- Attributes (e.g., power cap, voltage) for the objects can be accessed depending on role (e.g., user, app, OS, admin)
- Getters/setters enable basic measurement and control for the exposed object attributes
- Metadata interface provides information about quality, frequency, and other characteristics of measurement/control
- Statistics interface gathers data on one or more attributes for an object or group of objects over time

Reference Implementation




Available online and open source: http://github.com/pwrapi

New advances in the Power API

- Community model
 - New Specifications Document
 - Open meetings
 - Multi-institution involvement
- New convenience functions
 - Streamline writing code with object name length queries
- New reporting functions
 - Allow multiple statistics to be gathered in a single object (forthcoming)
- New notification methods between Interface hierarchy
 - Upcoming

Power API – Portable Interfaces





Ryan Grant

Principal Member of Technical Staff Sandia National Laboratories

Chair of the Power API Specification Committee

Working on: Power API Spec, Community Reference Implementation



Steven J. Martin

Staff Engineer, Hardware Management Group Cray Inc.

Active member Power API Specification Committee

Cray HPC Power API development Redfish enablement on next generation Cray systems



Todd J. Rosedahl STSM, Power Systems IBM Inc.

Active member Power API Specification Committee Redfish DMTF – IBM representative Redfish enablement on IBM systems